

Avoid release to the environment.

3. Composition/ information on ingredients

Discrimination of single substance or mixture: Mixture

Reagent name	K-1 reagent			K-2 reagent		
Chemical name	Chloramine T (p-Toluenesulfon - chloramide sodium salt)	Sodium Sulfate	Other (not regulated)	Sodium Isonicotinate (Sodium 4-Pyridine- carboxylate)	Other (not regulated)	Poly- ethylene
Content	1 - 4.9 %	30 - 39 %	60 - 69 %	0.5 - 0.9 %	5 - 9.9 %	90 - 99 %
Chemical formula	CH ₃ C ₆ H ₄ SO ₂ N Cl-Na · 3H ₂ O	Na ₂ SO ₄	-	C ₆ H ₄ NO ₂ · Na	-	(C ₂ H ₄) _n
METI No. (reference number under CSCL in Japan)	(3)-2178 (3)-3132	(1)-501	-	-	-	(6)-1
CAS No.	7080-50-4	7757-82-6	-	16887-79-9	-	9002-88-4

4. First-aid measures

If reagents or test solutions;

Enter in eyes: Immediately rinse with water for more than 15 minutes followed by the treatment by an ophthalmologist.

Contact with skin: Immediately wash out contaminated site with plenty of water.

Enter into mouth: Immediately rinse mouth with plenty of water.

If any symptoms appear after above measures, immediately get medical advice or treatment.

Especially in case ingested reagents or test solutions, immediately drink plenty of water or milk and immediately get medical advice or treatment.

5. Fire-fighting measures

Extinguishing methods: Cut off ignition sources and extinct by a suitable media.

Suitable extinguishing media: Water (mist), powder, carbon dioxide, dry sand.

6. Accidental release measures

In case of outdoor use, reagents, waste solutions after the measurement and contaminated containers should be brought back.

In case of indoor use: if spilled on a table or floor, wipe off immediately spilled reagents and dispose of them.

7. Handling and storage

Handling: Care should be made so that reagents will not contact with eyes or skin, and avoid ingestion.

Especially for outdoor use, ensure to bring back reagents, waste solutions after the measurement, and the used containers.

Storage: Avoid direct sunlight and store in a well-ventilated, dry and dark place at room temperature.

8. Exposure controls and personal protection

Administrative control level

Working environment standard: Not established

Occupational exposure limits

Japan Society for Occupational health: Not established

ACGIH (TLVs): Not established

OSHA (PEL): Not established

Protective equipment: Recommended to wear protective glasses and gloves

9. Physical and chemical properties

Physical state: K-1: Powder reagent 0.05 g x 40 tubes/kit poly-tube in a poly bag
K-2: Tube containing powder reagent
1.1gx120 tubes/kit (5tubes per aluminum laminated packaging)
Color: K-1: White (powder), K-2: White~Pale pink (powder), semi-transparent (polyethylene tube)
Odor: No odor
pH: 7 (when added K-1), 6 (final measurement solution)

Melting point, boiling point, flash point, ignition point, lower explosion limit, vapor pressure, density, relative density, solubility, Pow, kinetic viscosity: not available as a mixture

10. Stability and reactivity

Avoid leaving in a place where high temperature, humid or under direct sunlight. Stable under normal use conditions and no dangerous reactions under specific conditions are expected. No information on hazardous decomposition product is available.

11. Toxicological information

No data on mixture is available. Data on each of K-1 and K-2 reagents are shown.

K-1 reagent

Chloramine T:

Acute toxicity(Oral): Rat-LD₅₀=935mg/kg

Acute toxicity(Inhalation): Rat-LD₅₀>4.2mg/l/4H

Skin corrosion/irritation: Since the substance has corrosivity of rabbit skin, it is set into category 1A

Serious eye damage/ eye irritation: Since the substance has sever corrosivity of rabbit eyes, it is set into category 1.

Respiratory sensitization: The substance is classifies as R42

Germ cell mutagenicity: Based on the negative results of Ames test and micronucleus test.

Specific target organ toxicity (repeated exposure): Prolonged and repeated inhalation may cause asthma.

Other data: Not available

K-2 reagent

Sodium Isonicotinate:

Serious eye damage/ eye irritation: Category 2B

Other data: Not available

Polyethylene:

Acute toxicity(Oral): Rat-LD₅₀ > 7,950 mg/kg (used 7,950 mg/kg for the calculation of ATEmix below)

Carcinogenicity: IARC Group 3 (not classifiable as to carcinogenicity to humans).

Other data: Not available

GHS classifications of K-1 and K-2 reagents as an each of mixture are shown below.

[Skin corrosion/irritation]

K-1 reagent: Classified as Category 2 (Warning, Causes skin irritation.) because it contains 1 to 5% of Chloramine T.

K-2 reagent: Classification is not possible because of data lack.

[Serious eye damage/ eye irritation]:

K-1 reagent: Classified as Category 1 (Danger, Causes serious eye damage.) because it contains more than or equal to 3% of Chloramine T.

K-2 reagent: Not classified based on the application of additivity formula.

[Respiratory sensitization]:

K-1 reagent: Classified as Category 1 (Danger, May cause allergy or asthma symptoms or breathing difficulties if inhaled.) because it contains more than or equal to 1% of Chloramine T.

K-2 reagent: Classification is not possible because of data lack.

[Acute toxicity (oral)], [Acute toxicity (Dermal)], [Acute toxicity(Inhalation)], [Skin sensitization],
[Germ cell mutagenicity], [Carcinogenicity], [Reproductive toxicity],
[Specific target organ toxicity (single exposure)], [Specific target organ toxicity (repeated exposure)],
[Aspiration hazard]

Not classified or classification is not possible due to not enough data available.

12. Ecological information

No data on mixture is available. Data on each of K-1 and K-2 reagents are shown.

K-1 reagent

Chloramine T:

Hazardous to the aquatic environment, short-term (acute) and long-term (chronic):

Daphnia magna EC50=4.5mg/l/48H

K-2 reagent

Sodium Isonicotinate: No eco-toxicological information is available.

Polyethylene: No eco-toxicological information available.

GHS classifications of K-1 and K-2 reagents as an each of mixture are shown below.

[Hazardous to the aquatic environment, short-term (acute)]

K-1 reagent: Classified as Category 3 (Harmful to aquatic life.) based on the application of additivity formula.

K-2 reagent: Classification is not possible because of data lack.

[Hazardous to the aquatic environment, long-term (chronic)]

K-1 reagent: Classified as Category 3 (Harmful to aquatic life with long lasting effects.) based on the application of additivity formula.

K-2 reagent: Classification is not possible because of data lack.

[Harmful effects on the ozone layer]:

Classification is not possible because each of the substances is not described in Annex to Montreal Protocol.

13. Disposal considerations

If high concentration of Free Cyanide is detected, pay special attention to the gas that may be generated after the neutralization.

Always dispose of in accordance with local regulations.

14. Transport information

In addition to precautionary measures regarding the handling and the storage, avoid rough handling that may cause damaging the containers. It is recommended to ship by air because of the storage under high temperature for long period of time may lead to deterioration.

UN classification and number: Not applicable

Civil Aeronautics Act: Not applicable

Fire Service Act: Not applicable

Total weight of the product: 140 g/kit

15. Regulatory information

Poisonous and Deleterious Substances Control Act: Not applicable

PRTR Act: Not applicable

Industrial Safety and Health Act: Applicable

K-1 reagent contains more than 0.1% and less than 1% of Silver Nitrate, more than 0.1% and more than 1% of Sodium Sulfate.

“Cabinet order, article 18, shall be indicated the Name of the substance, #2”

“Cabinet order, article 18-2, shall be indicated the Name of the substances, #2”

16. Other information

Reference literature

Safety Data Sheet No.07210,Kanto Chemical Co., Inc. (2010.12.21)
Safety Data Sheet No.W01W0119-1275, Wako Pure Chemical Industries, Ltd. (2013.11.01)
Material Safety Data Sheet No. 051110033, TOSOH CORPORATION (2004.07.09)
Koukuu Kikenbutsu Yusou Houreisyu, Ed. MLIT, HOUBUN SHORIN CO., LTD. (2019)
JIS Z 7252:2019 Classification of chemicals based on "Globally Harmonized System of Classification and Labelling of Chemicals (GHS)" (Japanese Industrial Standards Committee)
JIS Z 7253:2019 Hazard communication of chemicals based on GHS-Labeling and Safety Data Sheet (SDS) (Japanese Industrial Standards Committee)
UN GHS (tentative translation, forth revised version), GHS Kankei Syocho Renraku Kaigi (2011)
Ministry of Economy, Trade and Industry, GHS Classification Guidance for Enterprises 2013 Revised Edition (2013)

NOTE) This information is not always exhaustive and use with care.
This data sheet only provides information but any description cannot be warranted.
Descriptions may possibly be changed because of new findings or modification of the current knowledge.
Precautions only cover normal handling.
This English SDS is prepared in the cooperation with the Chemicals Evaluation and Research Institute (CERI), Japan.